

Customized Extruded Aluminum Pipe Alloy Round 10mm Thickness Silver 1060 O Temper

Basic Information

Place of Origin: Jiangsu,China
Brand Name: CHINALCO
Certification: ISO9001

• Model Number: 1000series, 2000series, 3000series,

5000series, 6000series, 7000series

Minimum Order Quantity: 1ton

• Price: Negotiable

Packaging Details: Exporting package/wooden box package/Or

per customers'requirement

• Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
Supply Ability: 2000 Ton/Tons per Month



Product Specification

• Key Word: Aluminum Pipe

• Material: 1050,1060,1070,1100,2A11,

 $2A12,2014,2024,\,5052,\,5A02,$

5A06,5083,6060,6061,6063,6082,6351,

6A02,7075,7005,7A04

Quality: Provide Mtc (Mill Test)

Length: 1m-5m Or According To Customer

Requirements

• Inspection Method: Can Be Inspected By A Third-Party Testing

Agency

Packing: Standard Seaworthy Packing
Manufacturing Technology: Drawn,extruded,forged,etc

Application: Refrigerator, Air Condition, Automobile,

Water Heater

Highlight: Silver Extruded Aluminum Pipe,

Customized Extruded Aluminum Pipe, 10mm Thickness Extruded Aluminum Pipe



Product Description

Customized Extruded Aluminum Pipe Alloy Round 10mm Thickness 1060 O Temper

Product Description

Product advantages

- 1. Welding technology of thin-walled copper-aluminum tubes suitable for industrialized production
- 2. The surface material can effectively prevent corrosion and extend the service life to a great extent
- 3. Strong plasticity, suitable for a variety of working environments.

Description of application effect

- 1.Divided by shape: square tube, round tube, pattern tube, special-shaped tube, global aluminum tube. 2.According to the extrusion method: seamless aluminum tube and ordinary extrusion tube
- 3. According to the precision: ordinary aluminum tubes and precision aluminum tubes
- 4. According to thickness: ordinary aluminum tube and thin-walled aluminum tube
- 5. Performance: corrosion resistance, light weight.

Standard	GB/T3190-2008,GB/T3880-2006,ASTM B209,JIS H4000-2006,etc						
Material	1050,1060,2A14,3003,3103,4032,5454,5754,5056,5082,5086,6061,6060,608						
iviateriai	2,7075,7475						
	Outer Diameter:3 - 250mm or as required						
Size	Wall Thickness: 0.3 - 50mm or as required						
	Length: 10mm - 6000mm or as required						
Temper	T3 - T8						
Shape	Round Square Rectangular						
Surface	Bright,polished,hair line,brush,sand blast,checkered,embossed,etching,etc						
Surface	Nature, silver, bronze, champagne, black, gloden, etc or as customized						
Colors	ivature, silver, bronze, champayne, black, gloden, etc or as customized						
	1)Further making utensil.						
	2)Solar reflective film						
	(3) The appearance of the building						
	4)Interior decorating:ceilings,walls,etc.						
	5)Furniture cabinets						
Application	6)Elevator decoraction						
	7)Signs,nameplate,bags making.						
	8)Decorated inside and outside the car						
	9)Household appliances:refrigerators,microwave ovens,audio equipment,etc.						
	10)The consumer electronics:mobile phones,digital cameras,MP3,U disk,etc.						


Product Detail



Chemical Compositon

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Zr
Impurity	Al	2014	0.5-1.2	0.7	3.9-5.0	0.4-1.2	0.2-0.8	0.1	0.25
0.15	-	0.15	Rest	2017	0.2-0.8	0.7	3.5-4.5	0.4-1.0	0.4-0.8
0.1	0.25	0.15	-	0.15	Rest	2024	0.5	0.5	3.8-4.9
0.3-0.9	1.2-1.8	0.1	0.25	0.15	-	0.15	Rest	5052	0.25
0.4	0.1	0.1	2.2-2.8	0.15-0.35	0.1	-	-	0.15	Rest
5056	0.3	0.4	0.1	0.05-0.20	4.5-5.6	0.05-0.20	0.1	-	-
0.15	Rest	5083	0.4	0.4	0.1	0.40-1.0	4.0-4.9	0.05-0.25	0.25
0.15	-	0.15	Rest	5754	0.4	0.4	0.1	0.5	2.6-3.6
0.3	0.2	0.15	-	0.15	Rest	6061	0.4-0.8	0.70	0.15-0.40
0.15	0.8-1.2	0.04-0.35	0.25	0.15	-	0.15	Rest	6063	0.2-0.6
0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	-	0.15	Rest
6082	0.7-1.3	0.5	0.1	0.4-1.0	0.6-1.2	0.25	0.2	0.1	-

Recommend Products



Application



Packing & Shipping







The Sample Delivery









Certificate









FAQ

Q:Can I get some samples?

A: Yes, sample order is available for quality check and market test. But you have to pay the sample cost and express cost.

Q: Do you receive customized order? A: Yes, ODM & OEM are welcomed.

Q: What's the lead time?

A: According to the order quantity, small order usually need 3-5 days, big order need negotiation.



