

Pure 1060 Aluminum Sheet Customized Surface 5mm 6mm Thick Anodized H112 Temper

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: Chinalco
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Sheet
- Model Number: 1060 1050 3024 3003 5052 5083
- Temper: O-H112 Or As Required
- Thickness: 0.6-20mm Or As Required
- Standard: GB/T3880 ASTM B209 Or As Required
- Trade Terms: FOB CIF CFR EXW
- Purchasing Service: Bending, Welding, Decoiling, Punching, Cutting
- Application: Ships, Refrigerators, Molds, Aerospace Equipment
- Highlight: 5mm Aluminum Sheet, H112 Aluminum Sheet, 6mm Aluminum Sheet



for more products please visit us on aluminium-sheetcoil.com

Product Description

5083 H116 Alloy Aluminum Sheet Plate ASTM B209 4x6 3.0mm Thick For Electric Car


Product Description

1060 aluminum, containing 99.6% aluminum content, is a common series in the aluminum plate belt family. 1060 aluminum plate product version flat, fine size, at the same time the surface gloss, alkali wash effect is good. Not only that, due to the mature technology, our 1060 alloy in all states can be made into patterned aluminum plate, embossed aluminum plate, aluminum checkered plate and other styles, and the price has a great advantage compared with other series of alloy aluminum plate.

1060 aluminum sheet is widely used for products with low strength requirements. Products are often used in signs, billboards, building exterior decoration, bus body, tall buildings and factory wall body adornment, kitchen sink, lamp holder, fan blade, electronic parts, chemical equipment, mechanical parts, deep drawing of sheet or spinning concave ware, welding part, heat exchanger, clock surface and plate, plate, kitchenware, ornaments, reflective equipment, etc.

Standard	ASTM GB JIS AISI, EN
Material	1100, 1050, 1060, 1070, 3003, 3004, 3104, 3105, 3005, 5052, 5083, 5086, 5754, 5454, 5182, 5059, 5252, 6061, 6063, 7050, 7005 etc
Place of Origin	China
Thickness	0.6mm - 20mm or customized
Width	500 - 2300 mm (tolerance: ± 1.0 mm) or as the customer's request
Temper	O, H12, H14, H16, H18, H19, H22, H24, H26, H28, H111, H112, H114 etc
Application	Architectural aluminum plate: used for doors, windows, curtain walls, roofs, etc. of buildings. Industrial aluminum plate: used for industrial equipment, mechanical parts, etc. Transportation aluminum plate: used in cars, trains, airplanes, etc. Household aluminum plate: used for furniture, kitchen and bathroom supplies, etc.
Surface Treatment	Mill finish, bright, wire drawing, oxidation, embossed, checkered, etching, etc
Price Term	Ex-work, FOB, CFR, CIF, etc
Delivery Time	About 7-10 ays. Standard size is in stock, prompt delivery or as order's quantity.
Quality	Mill Test Certification and accept third party inspection
Package	Export standard package, Carton box or wooden case, or waterproof paper, or as customer's request. The inner size of container is below: 20ft GP: 5.9m(length) x 2.13m(width) x 2.18m(high) about 24-26CBM 40ft GP: 11.8m(length) x 2.13m(width) x 2.18m(high) about 54CBM


Product Detail



Chemical Composition

Chemical Composition, Standard (max), W%						Al: balance	
Si	Fe	Cu	Mn	Mg	Zn	Ti	other
0.25	0.35	0.05	0.03	0.03	0.05	0.03	-

Features



01

Light weight, good rigidity, more beautiful appearance, strong and durable, 3.00mm thick aluminum plate weighs 8kg per square plate, tensile strength 100-280n/mm




02

Professional surface treatment, using pvdf fluorocarbon paint based on kynar-500 and hylur500, which is durable and does not fade



03


Excellent corrosion resistance, the process of painting first and then painting is adopted, and the moldability is stronger



04

The non-adhesiveness of the fluorine coating film makes it difficult to attach pollutants to the surface, which is convenient for daily cleaning and maintenance, and has good cleanliness


Recommend Products



Aluminum Sheet



Aluminum Roofing Sheet



Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

Application



For aerospace



Electrical



Sign boards



Welding parts

Packing and Shipment

Aluminum sheet/plate package details:
 1.with wooden pallet packing.
 2.standard fumigated wooden package.
 3.other packing methods by customer's requirement.

Aluminum plate
Packing



Aluminum plate
Loading



Aluminum coil
Packing



Certification



FAQ

Q:Can you send samples?

A:Of course, we can send samples to all parts of the world, our samples are free, but customers need to bear the courier costs.

Q:What product information do I need to provide?

A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:What are the shipping ports?

A:You can choose other ports according to your needs.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China