

Round Hole Perforated Aluminum Sheet Punching Customized Shape 6063 2mm Thick Mesh

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: Chinalco
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Perforated Sheet Plate
- Standard: GB/T3880 ASTM B209 Or As Required
- Material: 1050 1060 2024 3003 5052 5083 6061 6063
- Shape: Round/Square/Diamond/Hexagonal Hole
- Temper: O-H112, T3-T8, T351-T851 Or As Required
- Trade Terms: FOB CIF CFR EXW
- Application: Billboard, Decoration, Chemical Instruments.etc.
- Color: Dark Green, light Green, black, Yellow Or As Required
- Highlight: Customized Shape Perforated Aluminum Sheet, 6063 Perforated Aluminum Sheet, 2mm Thick Perforated Aluminum Sheet



for more products please visit us on aluminium-sheetcoil.com

Product Description

Round Hole Perforated Aluminum Sheet Punching Customized Shape 6063 2mm Thick Mesh

Product Description

Perforated metal sheet is also known as perforated sheet, perforated plate, punched plate, perforated screen and is sheet metal that typical has been mechanically stamped or punched using specialized tooling in high-speed punching machinery, to create a pattern of holes, slots or decorative shapes.


Perforated metal is widely used as in the decoration and display of goods, ornamental applications ranging from furniture and office supplies, ceiling, office divisions, ventilation windows or walls, lighting, decoration up in buildings of great design, mine screening, sifting of grains, filter mesh, medicine, sound insulation as sound mesh, ventilate of grain depot.

Our Products	Perforated metal mesh
Size	1) Thickness: 0.3mm-12mm 2) Mesh Length: 1.8m - 2.44m 3) Mesh Width: 0.8m - 1.22m 4) Perforated area percent: from 7% to 83%
Hole forms	Diamond, round, square, triangle, hexagon ect
Surface Treatment	Electric galvanized, Hot dipped galvanized, PVC coated, oxidation treatment etc
Characteristics	Corrosion resistance, ageing resistance, durable, etc.
Packing	1.LCL: packed with plastic film then on the pallets 2.FCL: Nude packing 3.Other special package according to customers' requirements.
Payment Terms	T/T (30% deposit , 70% balance against BL copy), or 100% L/C at sight, Paypal


Product Detail



Hole Shape



Features



01

Light weight, good rigidity, more beautiful appearance, strong and durable, 3.00mm thick aluminum plate weighs 8kg per square plate, tensile strength 100-280n/mm



02

Professional surface treatment, using pvdf fluorocarbon paint based on kynar-500 and hylur500, which is durable and does not fade



03

Excellent corrosion resistance, the process of painting first and then painting is adopted, and the moldability is stronger



04

The non-adhesiveness of the fluorine coating film makes it difficult to attach pollutants to the surface, which is convenient for daily cleaning and maintenance, and has good cleanliness

Provided Service



Paid service

Punching



Paid service

Flatting / Bending



Paid service

CNC machining



Paid service

Anodizing


Recommend Products



Aluminum Sheet



Aluminum Roofing Sheet



Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

Application


6x xx	60	Railway inside and outside parts, board and bed plate. Industry molding Highly stressed applications includes Roofing construction, transportation, and marine as well as mould.
	61	
	60	
	83	
	60	
	82	
	60	Auto parts, architectural fabrication, window and door frames, aluminum furniture, electronic components as well as various consumer durable products.
	63	
	60	
	63	



Packing and Shipment

Aluminum sheet/plate package details:

- 1.with wooden pallet packing.
- 2.standard fumigated wooden package.
- 3.other packing methods by customer's requirement.



Certification



FAQ

Q:Can you send samples?

A:Of course, we can send samples to all parts of the world, our samples are free, but customers need to bear the courier costs.

Q:What product information do I need to provide?

A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:What are the shipping ports?

A:You can choose other ports according to your needs.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China