


Industrial Pure Aluminum Sheet 1050 1060 1100 5mm 10mm Thickness Decoiling For Boat

Our Product Introduction


Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: Chinalco
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



Product Specification

- Product Name: Aluminum Sheet Plate
- Standard: GB/T3880 ASTM B209 Or As Required
- Material: 1050 1060 1100
- Surface: Oxidation, embossed, mill, bright, polished, hair line, brush
- Temper: O-H112, T3-T8, T351-T851 Or As Required
- Processing Service: Bending, Decoiling, Welding, Punching, Cutting
- Application: Billboard, Decoration, Chemical Instruments, etc.
- Port Of Loading: Shanghai Port, Qindao Port Or As Required
- Highlight: **1100 Industrial Pure Aluminum Sheet,
1060 Industrial Pure Aluminum Sheet,
1050 Industrial Pure Aluminum Sheet**



for more products please visit us on aluminium-sheetcoil.com

Product Description


Industrial Pure Aluminum Sheet 1050 1060 1100 5mm 10mm Thickness Decoiling For Boat

Product Description


1000 Series Aluminum is a soft and very ductile material, with excellent workability. This material is well suited for applications that involve severe forming because it work hardens more slowly during the forming process. 1000 Series Aluminum takes extremely well to welding and is the most weldable of all aluminum alloys.

Name	Aluminium sheet
Standard	JIS G3141,DIN1623,EN10130
Material	1050,1060,3003, 3A21,5052.5005.5083.5A05,6061
Sheet	0.15 mm- 2.0mm or as required
Normal sheet	2.0mm-6.0mm or as required
Medium plate	6.0 mmt-25.0mm or as required
Plate	25mm-200mm or as required
Super thick plate	more than 200mm or as required
Packing	Export standard packing or according to customers' requirement
Certificate	ISO9001:2008,SGS
Shipment	Within10-15 workdays,according to your requirements

Product Detail




Features



01

Light weight, good rigidity, more beautiful appearance, strong and durable, 3.00mm thick aluminum plate weighs 8kg per square plate, tensile strength 100-280n/mm




02

Professional surface treatment, using pvdf fluorocarbon paint based on kynar-500 and hylur500, which is durable and does not fade



03

Excellent corrosion resistance, the process of painting first and then painting is adopted, and the moldability is stronger



04

The non-adhesiveness of the fluorine coating film makes it difficult to attach pollutants to the surface, which is convenient for daily cleaning and maintenance, and has good cleanliness

Provided Service



Paid service

Punching



Paid service

Flatting / Bending



Paid service


CNC machining



Paid service

Anodizing

Recommend Products



Application

Type	Features	Applications
1100 H14	Intrinsic formability and corrosion resistance	Chemical and food handling, sheet metal, hollowware, heat exchangers and lighting.
2024 T3	Intrinsic formability and corrosion resistance	Aircraft structures, fasteners, hardware, wheels, screw machine products
3003 O	Weld ability/ form ability and very good corrosion resistance	Food and chemical handling, tanks, trim litho sheet, pressure vessels, and piping.
6061 T6	Excellent joining characteristics, good acceptance of applied coatings, relatively high strength, good workability, and high resistance to corrosion	Aircraft fittings, camera lens mounts, couplings, marine fittings and hardware, electrical fittings and connectors, decorative or misc. hardware, hinge pins, magneto parts, brake pistons, hydraulic pistons, appliance fittings, valves and valve parts.
7075 T6	High tensile strength	Used for highly stressed structural parts



Aviation



Marine



Chemical industry




Decoration



Automobile




Electronics



Equipment



Mould



Parts

Packing and Shipment

Aluminum sheet/plate package details:

- 1.with wooden pallet packing.
- 2.standard fumigated wooden package.
- 3.other packing methods by customer's requirement.

Aluminum plate
Packing



Aluminum plate
Loading



Aluminum coil
Packing



Certification



FAQ

Q:Can you send samples?

A:Of course, we can send samples to all parts of the world, our samples are free, but customers need to bear the courier costs.

Q:What product information do I need to provide?

A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:What are the shipping ports?

A:You can choose other ports according to your needs.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China