



## ASTM B209 6063 T6 Aluminium Rod 16mm Alloy Billet Bar Customized Size For Decoration

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: LIANZHONG
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series
- Minimum Order Quantity: 1 Ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Product Name: Aluminum Round Bar
- Standard: ASTM, AISI, GB, JIS, DIN, EN
- Material: 1060, 1050, 3003, 5052, 5083, 5086, 2024, 6061, 6063, etc
- Surface: Mill Finish, Anodizing, Brushing, Sand Blast
- Shape: Rectangular Round Or As Required
- Diameter: 5 - 250mm Or As Required
- Length: 1000-12000mm Or As Required
- Transport Package: Stand Sea-Worthy Packing
- Highlight: **Decoration Customized Size Aluminium Rod, ASTM 16mm Aluminium Rod, ASTM B209 Aluminium Rod**



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### ASTM B209 6063 T6 Aluminium Rod 16mm Alloy Billet Bar Customized Size For Decoration

#### Product Description

6063 aluminum bars belong to low-alloy Al-Mg-Si series high plasticity alloys, known for their excellent surface finish, with excellent extrusion performance, good corrosion resistance and comprehensive mechanical properties, and are susceptible to oxidization discoloration.

The alloy is used for standard architectural shapes, custom solids and heat sinks. Due to its conductivity, it can also be used for electrical applications of T5, T52 and T6 tempers.

Specification		
1.	Commodity name	Aluminium Bar
2.	Standard	ASTM B209, GB/T 3191, etc.
3.	Material	1060, 1050, 3003, 5052, 5083, 5086, 2024, 6061, 6063 ,etc
4.	Specifications	Diameter 5-250mm
		Length 1000-12000mm or as required
5.	Surface	Mill finish, polished, anodizing, brushing, sand blasting, powder coating, etc
6.	MOQ	500kg
7.	Price Term	Ex-work, FOB, CIF, CFR, etc.
8.	Payment Term	T/T, 100%L/C AT SIGHT, etc.
9.	Delivery Time	According to order's quantity.
10	Export to	Singapore, Indonesia, Ukraine, Korea, Thailand, Viet Nam, Saudi Arabia,
		Brazil, Spain, Canada, USA, Egypt, Iran, India, Kuwait, Dubai, Oman, Kuwait, Peru, Mexico, Iraq, Russia, Malaysia, etc.
11	Package	Export standard package: bundled wooden box, suit for all kinds of transport, or be required.
12	Contact	If you have any question, please feel free contact me .

#### Chemical Composition

Grade	Chemical composition									
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Zr
6060	0.30~0.6	0.10~0.30	0.1	0.1	0.35~0.6	0.05	-	0.15	0.1	-
6061	0.40~0.8	0.7	0.15~0.40	0.15	0.8~1.2	0.04~0.35	-	0.25	0.15	-
6063	0.20~0.6	0.35	0.1	0.1	0.45~0.9	0.1	-	0.1	0.1	-
6070	1.0~1.7	0.5	0.15~0.40	0.40~1.0	0.50~1.2	0.1	-	0.25	0.15	-
6181	0.8~1.2	0.45	0.1	0.156	0.6~1.0	0.1	-	0.2	0.1	-
6082	0.7~1.3	0.5	0.1	0.40~1.0	0.6~1.2	0.25	-	0.2	0.1	-

#### Product Detail



## Provided Service



Cut to Length



Weld Prep




Anodizing



Plasma Cutting

## Packing and Shippment



### PACKAGING

in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands







## Application



## Certification



## FAQ

When can I get your reply after the inquiry.  
Within 15 minutes during working time, within 12 hours during non-working time.

How can I get an accurate quote?  
Please provide the information of products standard, material, size and quantity.

How to visit your factory?  
Most of the main cities have flights to Wuxi; you can take flight to Wuxi Shuofang International Airport.  
If you come from Shanghai, it will take 2 hours by flight (every day 5 flights).  
If you come from Hongkong, it will take 1 hour by flight (every day 1 flight around noon time).



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China