



## ISO 9001 Aluminium Coil H14 H16 1200 Width Polished With Variety Surface ASTM B209

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: Chinalco
- Certification: ISO9001
- Model Number: 1000series, 2000series, 3000series, 4000series, 5000series, 6000series, 7000series, 8000series, 9000series
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers'requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 20000 Ton/Tons per Month



### Product Specification

- Product Name: Aluminum Coil
- Grade: 1050, 1060, 1100, 3003, 5052, 5005, 5754, 5083, 6061, 8081 Etc
- Surface Treatment: Mill Finish, Anodizing, Polish, Brush Etc.
- Thickness: 0.6-20mm Or As Required
- Width: 600-2300mm Or As Required
- Surface: Mill, bright, polished, hair Line, brush, sand Blast, checkered, embossed, etching, etc
- Sample: We Can Provide It.
- Advantage: Excellent Processing Function, Excellent Corrosion Resistance
- Highlight: **1200 Width Aluminium Coil, ASTM B209 Aluminium Coil, H14 H16 Aluminium Coil**



for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## Product Description

### ISO 9001 Aluminium Coil H14 H16 1200 Width Polished With Variety Surface ASTM B209

#### Product Description

Aluminum is a good conductor of heat. It can be used to make various heat exchangers, heat dissipating materials and civil cookers in industry. Aluminum has good ductility, can be drawn into a fine wire, rolled into a variety of aluminum products, but also can be made into thinner than 0.01mm aluminum foil, widely used in packaging cigarettes, candy, etc.. Aluminum alloy has some better properties than pure aluminum, which greatly expands the application range of aluminum. For example, pure aluminum is soft, when a certain amount of copper, magnesium, manganese and other metals are added to aluminum, the strength can be greatly improved, almost equivalent to steel, and the density is small, not easy to rust, widely used in aircraft, cars, trains, ships, artificial satellites, rockets manufacturing.

Thickness	0.6-20mm,or as required
Width	20-2300mm,or as required
Certification:	ISO, SGS,BV
Surface finish	Mill,bright,polished,hair line,brush,sand blast,checkered,embossed,etching,etc
Grade	1000 Series: 1050 1060 1070 1100 1200 1235 etc.
	3000 Series: 3003 3004 3005 3104 3105 3A21 etc.
	5000 Series: 5005 5052 5083 5086 5154 5182 5251 5754 etc.
	6000 Series: 6061 6063 6082 6A02 etc.
Temper	7000 Series: 7050 7475 7075 etc.
	H12,H14,H16,H18,H20,H22,H24,H26,H28,H32,H36,H38,HO,H111,H112,H114,H116,H118,H321.
Payment Terms	T/T,100%L/C at sight,West Union
Packing	Standard export packing (inside:water proof paper,outside:steel covered with strips and pallets)
Container size	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High)
	40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High)
	40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High)

Aluminum Grade	Features and common models
1000 Series	Industrial Pure Aluminum(1050,1060 ,1070, 1100)
2000 Series	Aluminum-copper alloys(2024(2A12), LY12, LY11, 2A11, 2A14(LD10), 2017, 2A17)
3000 Series	Aluminum-manganese alloys(3A21, 3003, 3103, 3004, 3005, 3105)
4000 Series	Al-Si alloys(4A03, 4A11, 4A13, 4A17, 4004, 4032, 4043, 4043A, 4047, 4047A)
5000 Series	Al-Mg alloys(5052, 5083, 5754, 5005, 5086,5182)
6000 Series	Aluminum Magnesium Silicon Alloys(6063, 6061, 6060, 6351, 6070, 6181, 6082, 6A02)
7000 Series	Aluminum, Zinc, Magnesium and Copper Alloys(7075, 7A04, 7A09, 7A52, 7A05)
8000 series	Other Aluminum alloys,Mainly used for thermal insulation materials, aluminum foil, etc.(8011 8069 )

#### Product Detail




## Product Line



Mechanical cutting



Extrusion




Slitting



Subsection




Surface treatment




Checkered

## Test






## Recommend Products



Aluminum Sheet



Aluminum Roofing Sheet



Aluminum Coil



Aluminum Ingot



Aluminum Bar



Aluminum Square Bar



Aluminum Tube



Aluminum Flat Bar

## Application



Aircraft, Automobile, Train



Building Wall




Solar Reflective Plate



Ceilings



Ring-Pull



Insulation Material




Nameplate



Electrical Products Shell

## Packing & Shipping

- 1) Standard export package, suit for all kinds of transport, or as required.
- 2) All standard steel products are stocked, timely shipping as per clients request.



## Certification



## FAQ

### 1. How about your delivery time?

Generally, it will take 20 to 30 days after receiving your advance payment. The specific delivery time depends on the items and the quantity of your order.

### 2. How can we guarantee quality?

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

**3.What services can we provide?**

Accepted Delivery Terms: FOB,CFR,CIF,EXW ;

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,Credit Card,PayPal,Western Union;

Language Spoken:English,Chinese,Spanish,Japanese,Portuguese,German,Arabic,French,Russian,Korean,Hindi,Italian



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China