

ASTM B209 Aluminium Sheet 0.5mm 4X8FT 1060 H18 Pure Plate Laser Cutting For Building

Basic Information

Place of Origin: Jiangsu,China
Brand Name: Chinalco
Certification: ISO9001


Model Number: 1000series, 2000series, 3000series, 5000series, 6000series, 7000series

Minimum Order Quantity: 1 TonPrice: Negotiable

Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 20000 Ton/Tons per Month



Product Specification

Product Name: Aluminum Sheet Standard: ASTM B209

Model Number: 1060 1050 3024 3003 5052 5083
 Thickness: 0.6-20mm Or As Required
 Width: 500mm-2300mm Or As Required
 Specification: 1000x2000, 1220x2440, 1250x2500,


Customize.

PVC Coated: Yes

Quality: We Can Provide The Third Quality

 Highlight: 0.5mm Aluminium Sheet, 4X8FT Aluminium Sheet,

Building Aluminium Sheet



Product Description

ASTM B209 Aluminium Sheet 0.5mm 4X8FT 1060 H18 Pure Plate Laser Cutting For Building

Product Description


The use of aluminium alloys instead of welding of steel plate materials, the weight of the structure can be reduced by more than 50 per cent. Aluminium alloy density is low, but the strength is relatively high, close to or more than high-quality steel, good plasticity, can be processed into a variety of profiles, with excellent electrical conductivity, thermal conductivity and corrosion resistance, widely used in the industry, the use of second only to steel.

Ctondord	ACTM CD. IIC AICLEN					
Standard	ASTM GB JIS AISI,EN					
	1100,1050,1060,1070,3003,3004,3104,3105,3005,5052,5083,5086,5754,54					
Material	54,5182,6061					
	,6063,7050,7005 etc					
Thickness	0.6mm - 20mm or as customized					
Width	500 - 2300 mm (tolerance:± 1.0mm) or as the customer's request					
Temper	F,O,H12,H14,H16,H18,H19,H22,H24,H26,H28,H111,H112,H114 etc					
	Architectural aluminum plate: used for doors, windows, curtain walls, roofs,					
	etc. of buildings.					
	Industrial aluminum plate: used for industrial equipment, mechanical parts,					
Application	etc.					
	Transportation aluminum plate: used in cars, trains, airplanes, etc.					
	Household aluminum plate: used for furniture, kitchen and bathroom					
	supplies, etc.					
Surface	Mill finish brings vivo during avidation ambanand abadyayad atabian ata					
Treatment	Mill finish, bright, wire drawing, oxidation, embossed, checkered, etching, etc					
MOQ	1 ton					
Price Term	Ex-work, FOB, CFR, CIF, etc					
Delivery Time	10-15 days. Standard size is in stock, prompt delivery or as order's quantity.					
Quality	Mill Test Certification and accept third party inspection					
	Export standard package, Carton box or wooden case, or waterproof paper,					
Package	or as customer's request.					
	The inner size of container is below:					
	20ft GP: 5.9m(length) x 2.13m(width) x 2.18m(high) about 24-26CBM					
	40ft GP: 11.8m(length) x 2.13m(width) x 2.18m(high) about 54CBM					
	, , , , , , , , , , , , , , , , , , , ,					

Aluminum Grade

1000					
1000	Industrial Pure Aluminum(1050,1060,1070, 1100)				
Series					
2000	Aluminum-copper alloys(2024(2A12), LY12, LY11, 2A11, 2A14(LD10), 2017,				
Series	2A17)				
3000	Aluminum-manganese alloys(3A21, 3003, 3103, 3004, 3005, 3105)				
Series					
4000	Al-Si alloys(4A03, 4A11, 4A13, 4A17, 4004, 4032, 4043, 4043A, 4047, 4047A)				
Series	[AI-5] alloy5(4A05, 4A11, 4A15, 4A17, 4004, 4052, 4045, 4045A, 4047, 4047A)				
5000	Al-Mg alloys(5052, 5083, 5754, 5005, 5086,5182)				
Series	41-ivig alicys(3032, 3003, 3734, 3003, 3000,3102)				
6000	Aluminum Magnesium Silicon Alloys(6063, 6061, 6060, 6351, 6070, 6181, 6082)				
Series	6A02)				
7000	Aluminum, Zinc, Magnesium and Copper Alloys(7075, 7A04, 7A09, 7A52,				
Series	(7A05)				

Product Detail




Chemical Composition

	-								
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	AI
1050	0.25	0.4	0.05	0.05	0.05	F	0.05	0.03	99.5
1070	0.2	0.25	0.04	0.03	0.03	F	0.04	0.03	99.7
1100	0.95 Si + Fe		0.05-0.20	0.05	F	F	0.1	F	99
2024	0.5	0.5	3.8-4.9	0.30-0.9	1.2-1.8	0.1	0.25	0.15	Rem.
3003	0.6	0.7	0.05-0.20	1.0-1.5	F	F	0.1	F	Rem.
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	F	0.25	F	Rem.
3005	0.6	0.7	0.3	1.0-1.5	0.20-0.6	0.1	0.25	0.1	Rem.
5005	0.3	0.7	0.2	0.2	0.50-1.1	0.1	0.25	F	Rem.
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	0.1	F	Rem.
5252	0.08	0.1	0.1	0.1	2.2-2.8	F	0.05	F	Rem.
6061	0.40-0.8	0.7	0.15-0.40	0.15	0.8-1.2	0.04-0.35	0.25	0.15	Rem.
7075	0.4	0.5	1.2-2.0	0.3	2.1-2.9	0.18-0.28	5.1-6.1	0.2	Rem.

Recommend Products

















Application



For aerospace



Electrical



Sign boards



Welding parts

Packing and Shippment









Certification



FAQ

Q:Can you send samples?

A:Of course, we can send samples to all parts of the world, our samples are free, but customers need to bear the courier costs.

Q:What product information do I need to provide?

A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:What are the shipping ports?

A:You can choose other ports according to your needs.



+8618151700330

sales02@jslzsteel.com aluminium-sheetcoil.com



Guang Yi Columbus B Tower, Wuxi, Jiangsu, China