

# 5mm Thick T6 Aluminium Sheet 6082 1500mm 4X8 Laser Cutting With Excellent Weldability

## **Basic Information**

Place of Origin: Jiangsu,China
Brand Name: Chinalco
Certification: ISO9001

• Model Number: 1000series, 2000series, 3000series,


5000series, 6000series, 7000series

Minimum Order Quantity: 1 TonPrice: Negotiable

• Packaging Details: Exporting package/wooden box package etc

Delivery Time: 3-15 days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 20000 Ton/Tons per Month



## **Product Specification**

Product Name: Aluminum Sheet

• Standard: GB/T3880;ASTM B209

• Model Number: 1060 1050 3024 3003 5052 5083 6061 6063

Color: Silver Or As RequiredThickness: 0.6-20mm Or As Required

• Surface: Mill Finish, Bright, Wire Drawing, oxidation,

Embossed,

Loading Port: Shanghai Port, Tianjin Port, Qingdao Port Or


As Required

Usage: Body Tank Of Cold Chain Truck, high Speed

Rail, aluminum Pull Ring

• Highlight: 5mm Laser Cutting Aluminium Sheet,

T6 5mm Thick Aluminium Sheet, 4X8 6082 Aluminium Sheet



## **Product Description**

## 5mm Thick T6 Aluminium Sheet 6082 1500mm 4X8 Laser Cutting With Excellent Weldability

#### **Product Description**

The advantage properties of aluminum alloy have light weight, excellent electrical and thermal conductivity, highly corrosion resistant and ductility.


Aluminum alloy is soft and are usually alloyed with copper, zinc, magnesium, silicon, manganese and lithium to increase strength. Aluminum alloy is exposed to air that instantly forms an anti-oxidant coating to protect products. Aluminum alloy is one of the lightest metals, the application of products ranges from precision technology to daily commodities.

Material	1000 2000 3000 4000 5000 6000 7000 8000						
Surface	Coated, Embossed, Brushed, Polished, Anodized, ect						
OEM <sub>.</sub>	Perforated, Cutting special size, Doing flatness, Surface treatment,etc						
service							
Width	50mm-2300mm or as the customer's request						
	50mm-8000mm or as the customer's request						
-	0.6mm-20mm or as required						
Payment	T/T, L/C, paypal, etc						
Delivery Time	Within 3 days for our stock size,15-20days for our production						
Sample	Free and available						
Quality	Certificate of Test, JB/T9001C, ISO9001, SGS, TVE						
Applicatio Construction filed, Ships building industry, Decoration,							
n	Industry,Manufacture,Machinery and hardware fields, etc						

#### **Aluminum Grade**

1000 Series	Industrial Pure Aluminum(1050,1060 ,1070, 1100)
2000 Series	Aluminum-copper alloys(2024(2A12), LY12, LY11, 2A11, 2A14(LD10), 2017, 2A17)
3000 Series	Aluminum-manganese alloys(3A21, 3003, 3103, 3004, 3005, 3105)
4000 Series	Al-Si alloys(4A03, 4A11, 4A13, 4A17, 4004, 4032, 4043, 4043A, 4047, 4047A)
5000 Series	Al-Mg alloys(5052, 5083, 5754, 5005, 5086,5182)
6000 Series	Aluminum Magnesium Silicon Alloys(6063, 6061, 6060, 6351, 6070, 6181, 6082 6A02)
7000 Series	Aluminum, Zinc, Magnesium and Copper Alloys(7075, 7A04, 7A09, 7A52, 7A05)

#### **Product Detail**



## **Chemical Composition**

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
1050	0.25	0.4	0.05	0.05	0.05	F	0.05	0.03	99.5
1070	0.2	0.25	0.04	0.03	0.03	$\vdash$	0.04	0.03	99.7
1100	0.95 Si + F	е	0.05-0.20	0.05	F	<b>—</b>	0.1	_	99
2024	0.5	0.5	3.8-4.9	0.30-0.9	1.2-1.8	0.1	0.25	0.15	Rem.
3003	0.6	0.7	0.05-0.20	1.0-1.5	F	$\vdash$	0.1	F	Rem.
3004	0.3	0.7	0.25	1.0-1.5	0.8-1.3	<u> </u>	0.25	_	Rem.
3005	0.6	0.7	0.3	1.0-1.5	0.20-0.6	0.1	0.25	0.1	Rem.
5005	0.3	0.7	0.2	0.2	0.50-1.1	0.1	0.25	F	Rem.
5052	0.25	0.4	0.1	0.1	2.2-2.8	0.15-0.35	0.1	_	Rem.
5252	0.08	0.1	0.1	0.1	2.2-2.8	F	0.05	F	Rem.
6061	0.40-0.8	0.7	0.15-0.40	0.15	0.8-1.2	0.04-0.35	0.25	0.15	Rem.
7075	0.4	0.5	1.2-2.0	0.3	2.1-2.9	0.18-0.28	5.1-6.1	0.2	Rem.

## Test



Color Coating Adhensive Force Tets



Color Coating Adhensive Force Tets-2



Tensile and Yield Strength Test



Tensile Yield And Hardness Test

## **Recommend Products**



Application



For aerospace



**Electrical** 



Sign boards



**Welding parts** 

**Packing and Shippment** 





#### Certification



#### FAQ

Q:Can you send samples?

A:Of course, we can send samples to all parts of the world, our samples are free, but customers need to bear the courier

Q:What product information do I need to provide?

A:You need to provide the grade, width, thickness, coating and the number of tons you need to purchase.

Q:What are the shipping ports?

A:You can choose other ports according to your needs.





+8618151700330



sales02@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China