

High Purity Aluminium 1060 H112 Seamless Alloy Aluminium Pipe For Industrial Air Cooler

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Certification: ISO9001
- Model Number: 1060
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Product Name: 1060 H112 Aluminium Pipe
- Grade: 1060
- Type: Seamless
- Wall Thickness: 0.8-5mm Or As Required
- Diameter: 2-200mm Or As Required
- Delivery Time: About 8-15 Days, depends On Your Quantity
- Highlight: **High purity aluminium 1060 pipe,
Seamless alloy aluminium pipe,
Industrial air cooler aluminium pipe**

for more products please visit us on aluminium-sheetcoil.com

Product Description

High Purity Aluminium 1060 H112 Seamless Alloy Aluminium Pipe For Industrial Air Cooler

Aluminum tube is a hollow metal pipe made of pure aluminum or aluminum alloy through extrusion processing, belonging to a type of non-ferrous metal pipe. Its product forms include square tubes, round tubes, patterned tubes, etc., which can be divided into seamless aluminum tubes and ordinary extruded tubes according to processing methods, and into ordinary types and precision types that require secondary processing according to accuracy. Mainly used in fields such as automotive, aerospace, electrical appliances, agriculture, and home furnishings.

Product Specifications

Product Name	1060 H112 Aluminium Pipe
Grade	1060
Type	Seamless/Welded
Conductivity/Thermal Rate	61% IACS
Surface	Anodized, powder coated, wooden grain, polished, brushed, PVDF Coating.
Color (Anodizing)	Silver, bronze, champagne, titanium, nickel, golden yellow, etc. The anodized film thickness is over 10um
Color (Powder coating)	White, Black, Grey, Green, Blue, Yellow, Red and etc. The powder coated thickness is over 80um.
Deep Processing	90 degree, 45degree and any degree Cutting, punching, drilling, bending, weld, mill, CNC, etc.
Container size	20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High)

Chemical Elements

Element	Al	Si	Fe	Cu	Mn	Mg	Zn	V	Ti
Content%	≥99.60	≤0.25	≤0.35	≤0.05	≤0.03	≤0.03	≤0.05	≤0.05	≤0.03


Product Detail



Quality Inspection



Provided Service



Packing & Shipping





The Sample Delivery



Application



Certificate



FAQ

Q: Can I get some samples?

A: Yes, sample order is available for quality check and market test. But you have to pay the sample cost and express cost.

Q: Do you receive customized order?

A: Yes, ODM & OEM are welcomed.

Q: What's the lead time?

A: According to the order quantity, small order usually need 3-5 days, big order need negotiation.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales01@jslzsteel.com

aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China

