



A3003/EN 755-2 Seamless Aluminium Pipe Alloy Round Pipe For Building And Industry

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Certification: ISO9001
- Model Number: A3003
- Minimum Order Quantity: 1 ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Key Word: Aluminium Pipe
- Technique: Seamless, welded
- Machining: Cutting, Punching, Drilling, Bending, Weld Etc.
- Surface Treatment: Anodized, Powder Coating Etc
- Application: Building And Industry
- Loading Of Port: Qingdao, Tianjin, Shanghai Or Any Port In China
- Highlight: **seamless aluminium pipe for building, EN 755-2 alloy round pipe, industrial aluminium pipe alloy**

Product Description

A3003/EN 755-2 Seamless Aluminium Pipe Alloy Round Pipe For Building And Industry

Product Description

3003 aluminum tube is an Al-Mn series anti rust aluminum alloy tube, which belongs to the non heat treatment strengthened non-ferrous metal material. It is mainly used in fields such as kitchenware, chemical containers, automotive and ship components that require high plasticity, corrosion resistance and weldability.

Its composition is based on aluminum, with 1.0-1.5% manganese added, and it complies with international standards such as GB, ISO, JIS, etc. This material is strengthened by cold working to enhance its mechanical properties, with excellent plasticity in the annealed state and good ductility even after semi cold work hardening. Its corrosion resistance is close to pure aluminum, suitable for atmospheric, freshwater, and some chemical media environments, and has excellent welding performance.

Item	A3003/EN 755-2 Aluminium Pipe
Shape	Round
Wall Thickness	0.8-5mm, or as required
Length	1-7.5m, or as required
Diameter	10-300mm, or as required
Standard	ASTM, AISI, JIS, GB, DIN, EN
Certification	ISO9001 or as required
Surface Finish	Anodized, Powder Coating, Sand Blasting etc
Grade	A3003
Temper	T3 - T8
Payment Terms	T/T, 100% L/C at sight, West Union
Port	Qingdao, Tianjin, Shanghai or Any Port in China
Packing	Standard export packing (inside:water proof paper, outside:steel covered with strips and pallets)
Container size	20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High)

Product Detail





Physical Properties

Physical Properties	Tensile Strength (MPa)	Yield Strength (MPa)	Elongation(%) 0.25-1.25mm	Elongation(%) 1.26-3.0mm
1100 O	89.6	34.5	30	6
1100 H12	110.3	103.4	4	12
1100 H14	124.1	117.2	3	10
2024 O	186.2	75.8	18	20
2024 T3	482.6	344.7	16	18
2024 T4	468.8	324.1	20	19
3003 O	110.3	41.4	30	33
3003 H12	131	124.1	9	11
3003 H14	151.7	144.8	3	7
5052 O	193.1	89.6	20	21
5052 H32	227.5	193.1	7	10

5052 H34	262	213.7	6	8
5083 O	275.8	144.8	21	25
5083 H32	282.7	151.7	20	21
5083 H34	330.9	255.1	11	14
6061 O	124.1	55.2	25	26
6061 T4	241.3	144.8	22	24
6061 T6	310.3	275.8	12	17
7075 O	227.5	103.4	16	18
7075 T6	572.3	503.3	11	12

Packing & Shipping






The Sample Delivery



Application



Certificate



FAQ

Q: Can I get some samples?

A: Yes, sample order is available for quality check and market test. But you have to pay the sample cost and express cost.

Q: Do you receive customized order?

A: Yes, ODM & OEM are welcomed.

Q: What's the lead time?

A: According to the order quantity, small order usually need 3-5 days, big order need negotiation.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China