



Customize Sizes Anodized Aluminium Pipe 7075 T5 T6 100mm 110mm Large Diameter Aluminum Pipe

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu,China
- Certification: ISO9001
- Model Number: 7075
- Minimum Order Quantity: 1ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package/Or per customers' requirement
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Key Word: Aluminum Tube
- Model Number: 7075
- Temper: O-H112,T3-T8,T351-T851
- Color: Silver Or As Required
- Alloy Elements: Al--Cu/Al--Mn/Al--Si/Al--Mg/Al--Zn--M
- Special Area: +/-0.002mm
- Highlight: **anodized aluminum pipe 7075 T6,
large diameter aluminum pipe 100mm,
custom size aluminum pipe T5**

for more products please visit us on aluminium-sheetcoil.com


Customize Sizes Anodized Aluminium Pipe 7075 T5 T6 100mm 110mm Large Diameter Aluminum Pipe

Product Description

The 7-series aluminum alloy Al-Zn Mg Cu series superhard aluminum has been widely used in the aviation industry since the late 1940s as an ultra high strength deformed aluminum alloy. Its characteristics are good plasticity after solution treatment, particularly good heat treatment strengthening effect, high strength below 150 , and particularly good low-temperature strength; Poor welding performance; There is a tendency for stress corrosion cracking; It needs to be treated with aluminum or other protective measures for use. Double stage aging can improve the ability of alloys to resist stress corrosion cracking. The plasticity in annealed and quenched states is slightly lower than that of 2A12 in the same state, slightly better than 7A04, and the static fatigue of the plate Gap sensitivity, stress corrosion resistance better than 7A04. Density of 2.85g/cm3.

Product Name	7075 T5 T6 100mm 110mm Aluminum Pipe
Model Number	7075
Size	Wall Thickness: 0.5-20mm or as required Length: 1m -7.5m or as required
Standards	ASTM, ASME, EN, JIS, DIN etc
Surface treatment	Anodized, Powder Coating, Sand Blast etc
Surface colors	Nature, silver, bronze, champagne, black, golden, etc As customized
Status	T5 T6 or other special status
Usage	Aluminum profile for windows/doors/decoration/construction/curtain wall
Quality	China Nation Standard GB/T
Packing	Protective film + plastic film or EPE + kraft paper
Certificate	ISO 9001 or as required
MOQ	1 Tons

Product Detail





Chemical Composition

Grade	IS ON OR 209	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Al
7075	Al Zn5.5MgCu	0.4	0.5	1.2-2.0	0.3	2.1-2.0	0.18-0.28	-	5.1-6.1	0.2	99

Application



Packing & Shipping










The Sample Delivery



Certificate



FAQ

Q: Are you manufacturer?

A: Yes, we are.

Q: Can you produce according to my requirement?

A: Yes, all the design, size, printing and packaging can be done according to customer's request.

Q: Do you offer free samples?

A: Sure, we are glad to send you free samples for your evaluation. But currently we need you to kindly pay the delivery charge on your side if you'd like to have our samples.

Q: What's your MOQ?

A: Normally 1 Tons are requested as the minimum order quantity on our side. We can accept smaller quantities if the warehouse has the right stock size.

Q: What specification should I tell you if I wanna get the quotation?

A: 1. Alloy 2. Size 3. Temper 4. Purchase quantity

Q: What's your payment term?

A: We accept T/T, Western Union, L/C, D/A, D/P etc.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China