




## 3105/ASTM B209 Embossed Aluminum Plate Preserve Heat Peel Pattern For Floor Package

Our Product Introduction

### Basic Information

- Place of Origin: Jiangsu,China
- Certification: ISO9001
- Model Number: 3105
- Minimum Order Quantity: 3ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 3-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



### Product Specification

- Product Name: Aluminium Checkered Plate
- Type: Plate
- Length: Customized
- Surface Treatment: Embossed
- Al: 98%
- Application: Floor Package
- Highlight: **embossed aluminum plate heat preservation, ASTM B209 aluminum checkered plate, peel pattern aluminum floor plate**

for more products please visit us on [aluminium-sheetcoil.com](http://aluminium-sheetcoil.com)

## 3105/ASTM B209 Embossed Aluminum Plate Preserve Heat Peel Pattern For Floor Package

### 1200 1235 Alloy Aluminum Checkered Plate 3mm Thickness Embossed Sheet Pattern Anti-slip

3105 aluminum alloy ingots are first processed by hot rolling, cold rolling and other techniques to produce aluminum plates of the required thickness, and then various patterns are formed on the surface of the aluminum plates through embossing or rolling methods. Embossing technology uses molds with specific patterns to apply pressure to aluminum plates through punching or pressing machines, causing local plastic deformation of the plate and forming patterns. The rolling process feeds the aluminum plate into a rolling mill with patterned rollers, and rolls patterns on the surface through the squeezing effect of the upper and lower rollers.

<b>Item</b>	3105/ASTM B209 Embossed Aluminum Plate
<b>Model Number</b>	3105
<b>Standard</b>	ASTM B209, JIS H4000-2006, GB/T2040-2012, etc
<b>Type</b>	Plate
<b>Width</b>	100mm-1260mm or as required
<b>Length</b>	Custom's Request
<b>Al</b>	98%
<b>Tolerance</b>	±1%
<b>Surface Treatment</b>	Embossed
<b>Processing Service</b>	Bending, Welding, Decoiling, Cutting, Punching
<b>Delivery Time</b>	7-15 Days
<b>Color</b>	Customers Samples Color
<b>Application</b>	Construction field, Ships building industry, Decoration, Industry, Manufacture, Machinery and hardware fields, etc
<b>Certificate</b>	ISO9001
<b>MOQ</b>	1 Ton

### Product Details



**Packing and Shipment**





### Application

In the field of architecture, it can be used for building exterior walls, roofs, stair treads, balcony railings, etc.  
 In the field of transportation, it is commonly used for the floors, pedals, and interior walls of buses, subways, trains, ships, etc.  
 In the industrial field, it is widely used in factory workshop floors, workbenches, equipment protective barriers, etc.  
 In the field of home furnishings.

### Certification



### FAQ

#### 1. How about your delivery time?

Generally, it will take 20 to 30 days after receiving your advance payment. The specific delivery time depends on the items and the quantity of your order.

#### 2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

#### 3. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW;  
 Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;  
 Accepted Payment Type: T/T, Credit Card, PayPal, Western Union;  
 Language Spoken: English, Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian



**JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD**



+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China