




Insulation Pure 5356 Aluminum Wire Conductor Bare Corrosion Preventive For Piping System

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu, China
- Certification: ISO9001
- Model Number: 5356
- Minimum Order Quantity: 3ton
- Price: Negotiable
- Packaging Details: Exporting package/wooden box package etc
- Delivery Time: 7-15 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 2000 Ton/Tons per Month



Product Specification

- Model Number: 5356
- Tolerance: $\pm 1\%$
- Application: Piping System
- MOQ: 3 Ton
- Tensile Strength: 270-310Mpa
- Yield Strength: 140-160Mpa
- Highlight: bare aluminum wire conductor,
corrosion preventive aluminum wire,
insulation pure 5356 aluminum wire

for more products please visit us on aluminium-sheetcoil.com

Product Description


Insulation Pure 5356 Aluminum Wire Conductor Bare Corrosion Preventive For Piping System

As a welding wire, the mechanical properties of 5356 aluminum wire are mainly reflected in the weld metal formed after welding. Its performance depends on the welding process, heat input, and base material. Its characteristics are moderate strength, excellent toughness and ductility, and work hardening.


Product Name	5356 Aluminum Wire
Model Number	5356
Tensile Strength	270-310Mpa
Yield Strength	140-160Mpa
Tolerance	±1%
Size	Diameter: 0.1-3mm or as required Length: as required
Process Service	Bending, Welding, Cutting
Package	Exporting package etc
Application	Piping System
Main Market	America/Europe/Middle-east Asia

Product Details






Packing and Shipment



Application



Certification



FAQ

Q1: What's your terms of payment?

A: 30%T/T as the upfront deposit, 70% before delivery, We will show you the photos and package before you pay the balance.

Q2: What's the terms of delivery?

A: EXW, FOB, CFR, CIF

Q3: What's the terms of packing?

A: Generally, we pack our goods in bundles or coils with rods or belts, we could also pack the goods as the customers' requirement.

Q4: What's your delivery time?

A: For stocks, we could transport the goods to loading port within 7 work days after we received the deposit. For production period, it usually takes about 15 days to 30 days after we received the deposit.

Q5: Could you produce according to the samples?

A: Yes, we can customer-made by your samples or technique drawings, we can build the mold and fixtures.



JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD



+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China