

0.5mm 0.6mm 0.8mm 99% Pure 6063 Aluminium Wire Powder Coating For Architectural Decoration

Basic Information

Place of Origin: Jiangsu,China
Certification: ISO9001
Model Number: 6063
Minimum Order Quantity: 3ton
Price: Negotiable

Packaging Details: Exporting package/wooden box package etc.

• Delivery Time: 7-15 days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 2000 Ton/Tons per Month



Product Specification

Model Number: 6063

• Length: Standard/Costomization

• Tolerance: ±1%

• Temper: O,T4,T5,T6

Application: Architectural Decoration

• Sample: Avaliable

• Highlight: 0.5mm pure aluminium wire,

6063 aluminium wire for decoration,

powder coated architectural aluminium wire

0.5mm 0.6mm 0.8mm 99% Pure 6063 Aluminium Wire Powder Coating For Architectural Decoration

6063 is a heat treated reinforced aluminum alloy wire known for its excellent extrusion performance, good surface treatment performance, and moderate strength. It is rarely used as a "wire" and is mainly used to manufacture rivets, fasteners, and various precision small parts that require extrusion molding. Excellent compressibility is its most prominent feature.

Item	Aluminium Wire
Model Number	6063
Temper	O,T4,T5,T6
Tolerance	+/-1%
Diameter	0.5mm,0.6mm,0.8mm or as required
Length	Standard/Customization
Color	Mill/National standard
Sample And Customize	Support
Standard Package	Wooden pallets, Wooden cases or according to customer's requests
MOQ	3 T, please consult for details

Product Details






Quality Inspection




Packing and Shipping





Application



Certificate



FAQ

Q: What is delivery time / lead time?

Q: What is your minimum order?

A: 5000kgs

Q: What is your payment term?

A: 1- 30% down payment for order confirmation, 70% before shipment.

2- 100% at sight LC

Q: Can we visit your factory?

A: Yes you can at your free time.





+8618151700330



sales01@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China