

Customized Size 99.5% Purity 1350 Aluminum Wire ASTM B230 Electrical High Flexibility And Toughness

Basic Information

Place of Origin: Jiangsu,China
Certification: ISO9001
Model Number: 1350
Minimum Order Quantity: 3ton
Price: Negotiable

• Packaging Details: Exporting package/wooden box package etc

Delivery Time: 7-15 days

Payment Terms: L/C, T/T, Western Union
 Supply Ability: 2000 Ton/Tons per Month



Product Specification

Model Number: 1350
Al: 99.5%
Density: 2.70 G/cm³
Yield Strength: 13-35Mpa
Tensile Strength: 60-95Mpa

• Temper: O

Highlight: Customized size aluminum wire,
 High purity 1350 aluminum wire,

Flexible ASTM B230 aluminum wire

Product Description

Customized Size 99.5% Purity 1350 Aluminum Wire ASTM B230 Electrical High Flexibility And Toughness

Product Description


1350 aluminum wire is an industrial pure aluminum wire with a purity of over 99.5%, known as "electrical aluminum" due to its extremely high conductivity, excellent ductility, and good corrosion resistance. It is mainly made through cold drawing and annealing processes and is a key foundational material in fields such as power transmission, electronics industry, and transformer manufacturing. Conductivity \geq 61% IACS, ensuring efficient and low loss power transmission.

Product Name	99.5% Purity 1350 Aluminum Wire
Model Number	1350
Al	99.5%
Tensile Strength	60-95Mpa
Yield Strength	13-35Mpa
Tolerance	±1%
Size	Diameter: 0.1-3mm or as required Length: as required
Standard	ASTM B230
Process Service	Bending, Welding, Cutting
Package	Exporting package etc
Application	Power and Electronic Applications
Main Market	America/Europe/Middle-east Asia

Chemical Elements

Al	Fe+Si	Other
≥ 99.50%	≤ 0.50%	trace

Product Details





Packing and Shipment



Application



Certification



FAQ

Q1: What's your terms of payment?

A: 30%T/T as the upfront deposit, 70% before delivery, We will show you the photos and package before you pay the balance.

Q2: What's the terms of delivery?

A: EXW, FOB, CFR, CIF

Q3: What's the terms of packing?

A: Generally, we pack our goods in bundles or coils with rods or belts, we could also pack the goods as the customers' requirement.

Q4: What's your delivery time?

A: For stocks, we could transport the goods to loading port within 7 work days after we received the deposit. For production period, it usually takes about 15 days to 30 days after we received the deposit.

Q5: Could you produce according to the samples?

A: Yes, we can customer-made by your samples or technique drawings, we can build the mold and fixtures.





+8618151700330



sales01@jslzsteel.com



aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China