

Length Customers' Requirement 1050 Aluminum Coil with Anodized Surface

Basic Information

Place of Origin: Jiangsu China
 Brand Name: Chinalco
 Certification: ASTM GB EN

• Model Number: 1050 1060 2024 5052 6061 6063 6082 7075

8011

Minimum Order Quantity: 1 TON

Packaging Details: Standard Seaworthy Packing

• Delivery Time: 7-10 days, or depends on the specific

quantity

• Payment Terms: T/T,L/C

Supply Ability: 20000tons/year



Product Specification

• Length: Customers' Requirement

• Surface: Mill Finish, Mirror Finish, Anodized, Color

Coated

• Inspection: The Third Inspection Can Be Acceptd

• Temper: O, H12, H14, H16, H18, H22, H24, H26, H32,

H34, H36, H38

• Tolerance: ±0.02mm-±0.05mm

Service: Cutting, Welding, Punching Etc
 Processing Service: Bending, Decoiling, Cutting
 Port: Qinngdao, Tianjin, Shangha
 Highlight: 1050 aluminum coil anodized, anodized aluminum coil 1050, aluminum coil with anodized surface

LENGTH CUSTOMERS' REQUIREMENT 1050 ALUMINUM COIL WITH ANODIZED SURFACE

Product Description

The Aluminium Coil is a versatile product that comes in a variety of sizes to suit different needs. It is available in standard sizes of 4X8FT and 5X10FT, but can also be customized based on customers' requirements. This flexibility allows for a wide range of applications in various industries.

Customers can choose the length of the Aluminium Coil based on their specific project requirements. Whether it's a small-scale project or a large industrial application, the Aluminium Coil can be tailored to meet the desired specifications.

When it comes to ports, the Aluminium Coil can be shipped from major ports such as Qingdao, Tianjin, and Shanghai. This ensures efficient logistics and timely delivery to customers around the world.

The Aluminium Coil is treated with a special coating that enhances its durability and performance. This coating helps protect the coil from corrosion, scratches, and other environmental factors, ensuring a longer lifespan and maintaining its aesthetic appeal.

For customers who want to assess the quality of the Aluminium Coil before making a bulk purchase, samples are available upon request. This allows customers to test the product and ensure it meets their requirements before committing to a larger order.

Overall, the Aluminium Coil is a reliable and high-quality product that meets ASTM standards for aluminum coils. It is available in different grades such as 1060 Aluminum Coil and 1050 Aluminum Coil, ensuring customers have options to choose from based on their specific needs

Features

Product Name: Aluminium Coil

Tolerance: ±0.02mm-±0.05mm

Service: Cutting, Welding, Punching Etc

Type: Roll

Ace Treatment: Coated
Alloy Or Not: Is Alloy

Technical Parameters

Service	Cutting, Welding, Punching Etc
Alloy Or Not	Is Alloy
Processing Service	Bending, Decoiling, Cutting
Туре	Roll
Temper	O, H12, H14, H16, H18, H22, H24, H26, H32, H34, H36, H38
Port	Qinngdao, Tianjin, Shangha
Inspection	The Third Inspection Can Be Accepted
Surface Treatment	Coated
Size	4X8FT/5X10FT/Customize
Tolerance	±0.02mm-±0.05mm

Applications

Chinalco Aluminium Coils are versatile products suitable for a wide range of applications across various industries. Here are some product application occasions and scenarios where the different models can be used:

1050 Aluminum Coil: The 1050 Aluminum Coil is ideal for general sheet metal work, intricate forming, and fabrication. It is commonly used in chemical equipment, ductwork, and cooking utensils.

1060 Aluminum Coil: With high corrosion resistance and excellent workability, the 1060 Aluminum Coil is perfect for applications in the food and chemical industries, as well as in decorative trim.

2024 Aluminum Coil: Known for its high strength and excellent fatigue resistance, the 2024 Aluminum Coil is commonly used in aerospace applications, structural components, and automotive parts.

5052 Aluminum Coil: The 5052 Aluminum Coil is preferred for marine applications, fuel tanks, and highway signs due to its high fatigue strength and exceptional corrosion resistance.

6061 Aluminum Coil: Widely used in structural components, truck frames, and marine fittings, the 6061 Aluminum Coil offers good machinability and weldability, making it a versatile choice.

6063 Aluminum Coil: The 6063 Aluminum Coil is perfect for architectural applications, window frames, and extruded shapes due to its

excellent finishing characteristics and high corrosion resistance.

6082 Aluminum Coil: Offering good formability and weldability, the 6082 Aluminum Coil is commonly used in structural applications, such as bridges, cranes, and trusses.

7075 Aluminum Coil: Known for its high strength-to-weight ratio, the 7075 Aluminum Coil is ideal for aerospace applications, bike frames, and high-stress components in various industries.

8011 Aluminum Coil: The 8011 Aluminum Coil is widely used in pharmaceutical packaging, household foil, and electrical components due to its excellent formability and corrosion resistance.

Customization

Brand Name: Chinalco

Model Number: 1050 1060 2024 5052 6061 6063 6082 7075 8011

Place of Origin: Jiangsu China Certification: ASTM GB EN Minimum Order Quantity: 1 TON

Packaging Details: Standard Seaworthy Packing

Delivery Time: 7-10 days, or depends on the specific quantity

Payment Terms: T/T,L/C Supply Ability: 20000tons/year Alloy Or Not: Is Alloy

Ace Treatment: Coated
Sample: We Can Provide It.
Port: Qinngdao, Tianjin, Shanghai

Type: Roll

Support and Services

Our Product Technical Support and Services for Aluminium Coil include:

Assistance with product selection and specifications

Troubleshooting and resolving technical issues

Providing guidance on installation and maintenance

Offering training and resources to optimize product performance

Continuous support and updates on product developments

Packing and Shipping

Product Packaging: The aluminium coil is securely wrapped in protective material to prevent any scratches or damages during transit. It is then placed in a sturdy cardboard box with cushioning material to ensure safe transportation.

Shipping: We ship our aluminium coil products using reliable carriers to ensure timely delivery. The package is labeled with the necessary shipping information and handled with care to maintain product integrity during transit.

FAQ

- Q: What is the brand name of the Aluminium Coil?
- $\ensuremath{\mathsf{A}}\xspace$ The brand name of the Aluminium Coil is Chinalco.
- Q: What are the available model numbers for the Aluminium Coil?
- A: The available model numbers for the Aluminium Coil are 1050, 1060, 2024, 5052, 6061, 6063, 6082, 7075, and 8011.
- Q: Where is the Aluminium Coil manufactured?
- A: The Aluminium Coil is manufactured in Jiangsu, China.
- Q: What certifications does the Aluminium Coil have?
- A: The Aluminium Coil is certified by ASTM, GB, and EN standards.
- $\ensuremath{\mathbf{Q}}\xspace$: What is the minimum order quantity for the Aluminium Coil?
- A: The minimum order quantity for the Aluminium Coil is 1 ton.
- Q: What are the packaging details for the Aluminium Coil?
- A: The Aluminium Coil is packaged in Standard Seaworthy Packing.
- Q: What is the delivery time for the Aluminium Coil?
- A: The delivery time for the Aluminium Coil is 7-10 days, or depends on the specific quantity ordered.
- Q: What are the payment terms for purchasing the Aluminium Coil?
- A: The payment terms for purchasing the Aluminium Coil are T/T and L/C.
- Q: What is the supply ability for the Aluminium Coil?
- A: The supply ability for the Aluminium Coil is 20,000 tons per year.

JIANGSU LIANZHONG METAL PRODUCTS (GROUP) CO., LTD

+8618151700330

sales01@jslzsteel.com



@ aluminium-sheetcoil.com

Guang Yi Columbus B Tower, Wuxi, Jiangsu, China